## UC SANTA BARBARA



July 30, 2019 James Badham

## **Expanding the Palette**

All matter consists of one or more phases — regions of space with uniform structure and physical properties. The common phases of H2O (solid, liquid and gas), also known as ice, water and steam, are well known. Similarly, though less familiar, perhaps, polymeric materials also can form different solid or liquid phases that determine their properties and ultimate utility. This is especially true of block copolymers, the self-assembling macromolecules created when a polymer chain of one type ("Block A") is chemically connected with that of a different type ("Block B").

"If you want a block copolymer that has a certain property, you pick the right phase for a given application of interest," explained <u>Chris Bates</u>, an assistant professor of materials in the UC Santa Barbara College of Engineering. "For the rubber in shoes, you want one phase; to make a membrane, you want a different one."

Only about five phases have been discovered in the simplest block copolymers. Finding a new phase is rare, but Bates and a team of other UC Santa Barbara researchers including professors <u>Glenn Fredrickson</u> (chemical engineering) and <u>Craig</u> <u>Hawker</u> (materials), Morgan Bates, staff scientist and assistant director for technology at the Dow Materials Institute at UCSB, and postdoctoral researcher Joshua Lequieu, have done just that.

Their findings are <u>published</u> in the Proceedings of the National Academy of Sciences.

About 12 months ago, Morgan Bates was doing some experimental work on polymers she had synthesized in the lab, in an effort, she said, "to understand the fundamental parameters that govern self-assembly of block copolymers by examining what happens when you tweak block chemistry."

There are endless possibilities for the chemistry of "A" and "B" blocks, according to Chris Bates. "Modern synthetic chemistry allows us to pick basically any type of A polymer and connect it with a different B block," he said. "Given this vast design space, the real challenge is figuring out the most crucial knobs to turn that control self-assembly."

Morgan Bates was trying to understand that relationship between chemistry and structure.

"I had chemically tweaked a parameter related to what is called 'conformational asymmetry,' which describes how the two blocks fill space," she recalled of the process that led to the discovery. "We weren't necessarily trying to find a new phase but thought that maybe we'd uncover some new behavior. In this case, the A and B blocks that are covalently tied together fill space very differently, and that seems to be the underlying parameter that gives rise to some unique self-assembly."

After creating the block copolymers, she took them to the Advanced Photon Source at Argonne National Laboratory, in Illinois, where a technique called "small-angle Xray scattering" was used to characterize them. The process yields a two-dimensional signature of scattered X-rays arranged in concentric rings. The relative placement and intensity of the rings indicates a particular phase. Morgan needed to travel to a national lab, because the process requires X-rays more powerful than what can be produced on campus.

After that work, said Chris Bates, "Using knowledge of crystallography, you can interpret the scattering data and produce an image as if you were looking at the structure with your eye. And in this case, the data was of such high quality that we were able to do that unambiguously."

Morgan Bates recalled that when she examined the X-ray pattern, one thing was unmistakably clear: "It looked different. I thought, 'What is that?'"

It was, of course, their newly discovered phase, known as A15. "With these types of AB block copolymers, there are only a handful of phases that people have observed

previously, and we've found another one, which adds to the palette of possible options from a design standpoint," Chris said.

"Among the ways of categorizing structures, this phase belongs to a class known as 'tetrahedrally close-packed'," added Lequieu, an expert in computer simulations who modeled the phase behavior of polymers. "The phase we've found in block copolymers was actually first observed in 1931 with an allotrope [or form] of tungsten. But in that case, A15 forms from metal atoms, which create a very small structure at the atomic length scale. Our block copolymers adopt the same structure but at a length scale two orders of magnitude larger, and, of course, no metal atoms are involved.

"If you were to look at both with a microscope," he continued, "their structures would look the same, but just at different sizes. It's fascinating that nature chooses to use the same structural motifs for completely different materials having entirely unrelated chemistry and physics."

The project demonstrates the ease of, and proclivity for, collaboration among UC Santa Barbara researchers. It began with new chemistry developed by Hawker and Bates to tune the properties of materials, which was followed by Morgan's unexpected characterization results. "From there, we went to Josh and told him there's something strange in the experiments that we didn't expect and asked him why," Chris Bates said. Lequieu then worked with Fredrickson to develop the computer simulations.

"There was a really nice back and forth on this project," Lequieu said. "An experiment was done that was challenging to understand, so we performed simulations to explain it. Morgan then did more experiments, informed by the results of the initial simulations, and observed that the computations were actually predictive. The phases observed experimentally showed up right where the simulations said they would. In some places, however the experiments and simulations disagreed, so we iterated multiple times to improve the models and really understand the subtleties involved."

"Moving forward," added Chris Bates, "our team continues to integrate materials synthesis and theory in a search of more unique phase behavior."

Lequieu described the feedback loop from experiment to simulation to theory and back around as "sort of the dream of modern materials science. It takes a lot of work

for Morgan to make these samples. It's much easier if someone predicts outcomes on a computer and can say, 'Here's a subset of polymers to synthesize that should form the desired structure.' This so-called 'inverse design' approach saves her a lot of time and effort."

In terms of nature falling back on preferred designs for otherwise unrelated materials, a bit of history is worth noting. In 1887, Lord Kelvin — he of the eponymous units of absolute temperature — was working on what later came to be known as the "Kelvin problem." It was an effort to determine how space could be partitioned into cells of equal volume with the least surface area between them. His proposed solution, which indicated the most efficient bubble foam, became known as the "Kelvin structure."

It held for about a hundred years, but in 1994 was shown to be incorrect. Kelvin had chosen what could be called "Structure A," but a team of British scientists showed that "Structure B" was even better. Since then, Structure B has gained fame in scientific circles and even well beyond, appearing, for instance, in the form of giant bubbles that serve as both functional architectural elements and design elements on the roof of the Beijing National Aquatics Center built for the 2008 Olympics.

It turns out that the new phase discovered by the researchers in this project, A15, is Structure B, confirming once again that nature likes a previously successful design.

## About UC Santa Barbara

The University of California, Santa Barbara is a leading research institution that also provides a comprehensive liberal arts learning experience. Our academic community of faculty, students, and staff is characterized by a culture of interdisciplinary collaboration that is responsive to the needs of our multicultural and global society. All of this takes place within a living and learning environment like no other, as we draw inspiration from the beauty and resources of our extraordinary location at the edge of the Pacific Ocean.